L Number	Hits	Search Text	DB	Time stamp
2	65	(controller same area same network same bit same tim\$5 same (storage or memory or	USPAT; US-PGPUB;	2004/06/09 13:39
		buffer)) and @ad<19980709	EPO; JPO;	
			DERWENT; IBM TDB	·
3	69	(controller same area same network same bit same tim\$5 same (stor\$4 or memory or	USPAT; US-PGPUB;	2004/06/09
		buffer)) and @ad<19980709	EPO; JPO;	13.10
			DERWENT; IBM TDB	
1	24	(controller same area same network same bit same tim\$5 same logic) and	USPAT; US-PGPUB;	2004/06/09 13:39
		@ad<19980709	EPO; JPO;	13.39
			DERWENT; IBM TDB	
4	0	(controller same area same network same (bit with tim\$5 with logic)) and	USPĀT; US-PGPUB;	2004/06/09 13:40
		(Bit with times with logic)) and (Bad<19980709)	EPO; JPO;	13:40
			DERWENT; IBM TDB	
5	24	į ·	USPAT;	2004/06/09
		(bit with tim\$5) same (stor\$4 or memory or buffer)) and @ad<19980709	US-PGPUB; EPO; JPO;	13:41
			DERWENT; IBM TDB	
6	5	((controller with area with network) same	USPAT;	2004/06/09
		(bit with tim\$5) same (stor\$4 or memory or buffer)) and @ad<19980709	US-PGPUB; EPO; JPO;	13:42
			DERWENT; IBM TDB	·
_	80	((can with module) same	USPĀT;	2004/06/08
		microcontroller).ab.	US-PGPUB; EPO; JPO;	17:51
			DERWENT; IBM TDB	
-	43	((can with module) same microcontroller).ab. and @ad<19990708	USPAT;	2004/06/07 15:06
		microcontroller).ab. and ead(19990/08	US-PGPUB; EPO; JPO;	13.06
			DERWENT; IBM TDB	
-	0	((can with module) same microcontroller).ab. and @ad<19990708 and	USPĀT; US-PGPUB;	2004/06/08
		protocol and multiplexer	EPO; JPO;	10.40
			DERWENT; IBM TDB	
-	0	((can with module) same microcontroller).ab. and @ad<19990708 and	USPAT; US-PGPUB;	2004/06/07 15:07
		protocol and multiplex\$3	EPO; JPO;	
	*		DERWENT; IBM_TDB	
-	72	((can with module) same microcontroller) and @ad<19990708 and protocol and	USPAT; US-PGPUB;	2004/06/08 17:51
		multiplexer	EPO; JPO;	
			DERWENT; IBM_TDB	
_	22	((can with module) same microcontroller) and @ad<19990708 and protocol and	USPAT; US-PGPUB;	2004/06/07 15:43
		<pre>(multiplexer same (storage or memory or buffer) same control\$5)</pre>	EPO; JPO; DERWENT;	
			IBM_TDB	
_	17	((can with module) same microcontroller) and @ad<19990708 and protocol and	USPAT; US-PGPUB;	2004/06/07   15:52
		(multiplexer same (storage or memory or buffer) same control\$5) and node	EPO; JPO; DERWENT;	
		de la companya de la	IBM TDB	

_	0	((can adj module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/07 15:51
_	0	(((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/07 15:53
-	9	node (((can or (control\$5 near area near network)) near3 module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/07 15:54
_	0	node (((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and	USPAT; US-PGPUB; EPO; JPO;	2004/06/07
-	1	protocol and (multiplexer and (storage or memory or buffer) and control\$5) and node (((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/07 16:22
-	4	protocol and (multiplex\$4 and (storage or memory or buffer) and control\$5) and node ((controller with area with network with module) same node same (storage or memory or buffer)) and @ad<19990708	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/07 18:12
-	0	(((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19980708 and	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/07 16:23
-	1	protocol and (multiplex\$4 and (storage or memory or buffer) and control\$5) and node (((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/07 18:17
-	3	(multiplex\$4 and (storage or memory or buffer) and control\$5) and node ((controller with area with network with module) same node same (storage or memory or buffer)) and @ad<19980709	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/07 16:27
-	2	twomey.in. and module	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/07 17:06
-	0	((controller near area near network) and multiplex\$5 and module).ab. and @ad<19980709	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/07
-	1	((controller near area near network) same multiplex\$5 same module) and @ad<19980709	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/07 17:08
-	3	((controller near area near network) same (storage or buffer) same module) and @ad<19980709	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 17:09

_	8	((controller near area near network) same	USPAT;	2004/06/07
		(storage or buffer or memory) same	US-PGPUB;	17:32
		module) and @ad<19980709	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	2224/25/27
-	0	((controller near area near network) same	USPAT;	2004/06/07
		multiplex\$4 same (storage or buffer or	US-PGPUB;	18:01
		memory) same (data or state)) and	EPO; JPO;	
		@ad<19980709	DERWENT;	
		//	IBM_TDB USPAT;	2004/06/08
-	4	((controller near area near network) same	US-PGPUB;	14:48
		<pre>(storage or buffer or memory) same (data or state)).ab. and @ad&lt;19980709</pre>	EPO; JPO;	14:40
		of State)).ab. and gad<19900709	DERWENT;	
			IBM TDB	
	11	((controller near area near network) same	USPAT;	2004/06/07
	++	(storage or buffer or memory) same (data	US-PGPUB;	18:06
		or state)) and @ad<19980709	EPO; JPO;	10.00
		or seace,, and cad is	DERWENT;	
			IBM TDB	
_	10	((controller near area near network) and	USPAT;	2004/06/07
-		(storage or buffer or memory) and (data	US-PGPUB;	18:11
		or state)).clm. and @ad<19980709	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((controller near area near network) and	USPAT;	2004/06/07
		(storage or buffer or memory) and (data	US-PGPUB;	18:11
		or state)).ab. and @ad<19980709	EPO; JPO;	
			DERWENT;	
	o	/// man an / mantral CE mann area noon	<pre>IBM_TDB USPAT;</pre>	2004/06/07
-	"	(((can or (control\$5 near area near network)) adj module) same	US-PGPUB;	18:18
		microcontroller) and @ad<19980709 and	EPO; JPO;	10.10
		(multiplex\$4 and (storage or memory or	DERWENT;	
		buffer) and control\$5) and node	IBM TDB	
	1168	(controller with area with network) same	USPAT;	2004/06/08
		((storage or buffer or register or	US-PGPUB;	17:51
		memory) with (state or data or	EPO; JPO;	
		information))	DERWENT;	
			IBM_TDB	0004/06/00
-	496	((controller with area with network) same	USPAT;	2004/06/08
		((storage or buffer or register or	US-PGPUB;	17:51
		memory) with (state or data or information))) and @ad<19980709	EPO; JPO; DERWENT;	
		INTOTHIACTORY /   AND GAUCTS 300 / US	IBM TDB	
_	9	((controller near area near network) same	USPAT;	2004/06/08
		((storage or buffer or register or	US-PGPUB;	17:52
		memory) with (state or data or	EPO; JPO;	
		information))) and @ad<19980709	DERWENT;	
			IBM_TDB	
-	22	((controller near area near network) same	USPAT;	2004/06/08
		microcontroller) and ((storage or buffer	US-PGPUB;	17:52
	1	or register or memory) with (state or	EPO; JPO;	
		data or information)) and @ad<19980709	DERWENT; IBM TDB	
	140	((controller near area near network)) and	USPAT;	2004/06/08
	149	((storage or buffer or register or	US-PGPUB;	17:52
		memory) with (state or data or	EPO; JPO;	1.02
		information)) and @ad<19980709	DERWENT;	
			IBM TDB	
-	57		USPAT;	2004/06/08
		((storage or buffer or register or	US-PGPUB;	17:52
		memory) with (state)) and @ad<19980709	EPO; JPO;	
			DERWENT;	
		//	IBM TDB	2004/06/09
-	0	((controller near area near network)) with ((storage or buffer or register or	USPAT; US-PGPUB;	2004/06/08
		memory) with (state)) and @ad<19980709	EPO; JPO;	-2.57
		memory, wrom (seaco), and each source	DERWENT;	
			IBM TDB	
1	1			

				·
-	0	((controller near area near network))	USPAT;	2004/06/08
		same ((storage or buffer or register or	US-PGPUB;	12:57
		memory) with (state)) and @ad<19980709	EPO; JPO;	-
			DERWENT;	
	0	((controller near area near network) same	IBM_TDB USPAT;	2004/06/08
_	U	((storage or buffer or register or	US-PGPUB;	12:57
		memory) with (state))) and @ad<19980709	EPO; JPO;	12.57
		memory with (State) / and Gad(13300703	DERWENT;	
			IBM TDB	
_	0	((controller near area near network) same	USPAT;	2004/06/08
		((storage or buffer or register or	US-PGPUB;	12:58
		memory) with (state))) and @ad<19980709	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	1	(((controller near area near network))	USPAT;	2004/06/08
		and ((storage or buffer or register or	US-PGPUB;	16:34
		memory) with (state))).ab. and @ad<19980709	EPO; JPO;	-
		@ad<19980709	DERWENT; IBM TDB	
_	2	5574848.pn.	USPAT;	2004/06/08
	"	00,1010.pm	US-PGPUB;	14:48
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5612958.pn.	USPAT;	2004/06/08
			US-PGPUB;	14:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/00
_	0	(((controller near area near network))	USPAT;	2004/06/08
		and ((storage or buffer or register or	US-PGPUB; EPO; JPO;	16:35
		memory) with (state))).ab. and @ad<19980709 and buffer\$3	DERWENT;	
1		ead(19900709 and bullely)	IBM TDB	
_	. 0	(((controller near area near network))	USPAT;	2004/06/08
		and ((buffer\$3) with (state))).ab. and	US-PGPUB;	16:35
		@ad<19980709	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(((controller near area near network))	USPAT;	2004/06/08
		same ((buffer\$3) with (state))) and	US-PGPUB;	16:36
		@ad<19980709	EPO; JPO; DERWENT;	
1			IBM TDB	
_	0	((controller near area near network) same	USPAT;	2004/06/08
		(buffer\$3 with state)) and @ad<19980709	US-PGPUB;	16:36
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((controller near area near network) same	USPAT;	2004/06/08
		(buffer\$3 with request\$3)) and	US-PGPUB;	16:36
		@ad<19980709	EPO; JPO;	
			DERWENT;	
	0	((controller near area near network) same	IBM_TDB USPAT;	2004/06/08
-		((controller hear area hear hetwork) same ((buffer\$3 same request\$3)) and	US-PGPUB;	16:37
	-	(Bulle133 Same request33)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6	((controller near area near network) same	USPAT;	2004/06/08
		(buffer\$3)) and @ad<19980709	US-PGPUB;	16:40
			EPO; JPO;	
			DERWENT;	
		//	IBM_TDB	2004/06/08
_	0	((controller near area near network) same (preset\$4)) and @ad<19980709	USPAT; US-PGPUB;	16:40
		(breseradi) and ead(19900109	EPO; JPO;	10.30
1			DERWENT;	
	1		IBM TDB	,
	1		·	

-	1	((controller near area near network) same (advanc\$3)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO;	2004/06/08 16:40
		·	DERWENT; IBM_TDB	
-	6	((controller near area near network) same (predetermin\$5)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO;	2004/06/08 16:43
			DERWENT; IBM_TDB	
_	2	((controller near area near network) same (respond\$5)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO;	2004/06/08 16:43
	10	((controller near area near network) same	DERWENT; IBM_TDB USPAT;	2004/06/08
	10	((controller near area hear network) same (respons\$5)) and @ad<19980709	US-PGPUB; EPO; JPO;	16:44
		5600782.pn. and buffer\$4	DERWENT; IBM_TDB USPAT;	2004/06/08
			US-PGPUB; EPO; JPO; DERWENT;	17:11
_	1	5600782.pn. and microcontroller	IBM_TDB USPAT;	2004/06/08
		,	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	17:12
-	29	(controller with area with network) same ((storage or buffer or register or memory) with (state or data or information)) and (709/250.ccls. or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:51
		340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	IBM_TDB	
	0	((can with module) same microcontroller).ab. and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08   17:51
-	0	((can with module) same microcontroller) and @ad<19990708 and protocol and multiplexer and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:51
_	18	375/219.ccls. or 703/23.ccls.) ((controller with area with network) same ((storage or buffer or register or memory) with (state or data or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/08 17:52
		information))) and @ad<19980709 and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or	DERWENT; IBM_TDB	
_	3	703/23.ccls.) ((controller near area near network)) and ((storage or buffer or register or	USPAT; US-PGPUB;	2004/06/08 17:52
		memory) with (state or data or information)) and @ad<19980709 and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or	EPO; JPO; DERWENT; IBM_TDB	
_	0	703/23.ccls.) ((controller near area near network)) and ((storage or buffer or register or memory) with (state)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO;	2004/06/08 17:52
		and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	DERWENT; IBM_TDB	

	1	((controller near area near network) same	USPAT;	2004/06/08
'		microcontroller) and ((storage or buffer	US-PGPUB;	17:52
		or register or memory) with (state or	EPO; JPO;	
		data or information)) and @ad<19980709	DERWENT;	
		and (709/250.ccls. or 340/825.ccls. or	IBM_TDB	
		370/463.ccls. or 375/219.ccls. or		
		703/23.ccls.)		
-	1	((controller near area near network) same	USPAT;	2004/06/08
		((storage or buffer or register or	US-PGPUB;	17:52
		memory) with (state or data or	EPO; JPO;	
		information))) and @ad<19980709 and	DERWENT;	
		(709/250.ccls. or 340/825.ccls. or	IBM_TDB	
		370/463.ccls. or 375/219.ccls. or		
		703/23.ccls.)		